## LEGEND GUITAR SERIES

## **LEGEND 1518**

A higher power 15" guitar speaker with well balanced vintage guitar tone. Big low-end, with a mellow, but singing top end and medium break-up.

150 WATTS  $8 \Omega$ 




## **SPECIFICATION** MOUNTING INFORMATION MATERIALS OF CONSTRUCTION

Shipping Weight

| Nominal Basket Diameter | 15", 381 mm   | Enclosure Type          |                           | Copper voice coil    |
|-------------------------|---------------|-------------------------|---------------------------|----------------------|
| Nominal Impedance*      | 8 Ω           | Closed Back             | Acceptable                | Polyimide former     |
| Power Rating*           | 150 W         | Open Back               | Acceptable                | Ferrite magnet       |
| Resonance (Fs)          | 82 Hz         | Driver Volume Displaced | 0.128 cu.ft., 3.62 liters | Non-vented core      |
| Usable Frequency Range  | 60 Hz – 4 kHz | Overall Diameter        | 15.15", 384.8 mm          | Pressed steel basket |
| Sensitivity*            | 103.4 dB      | Baffle Hole Diameter    | 13.87", 352.3 mm          | Paper cone           |
| DC Resistance (Re)      | 7.16 Ω        | Depth                   | 6.1", 154.9 mm            | Paper cone edge      |
| Qts                     | 0.93          | Front Sealing Gasket    | Yes                       | Zurette dust cap     |
| Magnet Weight           | 59 oz.        | Rear Sealing Gasket     | N/A                       | •                    |
| Gap Height              | 0.31", 7.9 mm | Mounting Holes Diameter | 0.25", 6.4 mm             |                      |
| Voice Coil Diameter     | 2", 51 mm     | Mounting Holes B.C.D.   | 14.56", 369.8 mm          |                      |
|                         |               | Net Weight              | 12.1 lbs , 5.49 kg        |                      |

14.1 lbs , 6.4 kg

## FREQUENCY RESPONSE & IMPEDANCE CURVE\*







See footnotes on page 155 for information regarding usable frequency range, nominal impedance, power rating and sensitivity.